

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	150	@ad<"20030214" and (709/203.ccls. and ((fragment\$5 or packet\$4) with divi\$4))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:15
L4	10	@ad<"20030214" and 709/203.ccls. and ((fragment\$5 or packet\$4) with divi\$4) and (associat\$3 with (data or value)) and ((characteristic\$4 or predetermin\$3) near3 value)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:37
L5	16	@ad<"20030214" and "709"/\$.ccls. and ((fragment\$5 or packet\$4) with divi\$4) and ((associat\$3 with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:48
L6	11	@ad<"20030214" and ((fragment\$5 or packet\$4) with divi\$4) same calculat\$3) and ((associat\$3 with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:53
L7	107	@ad<"20030214" and ((fragment\$5 or packet\$4 or frame) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:55
L8	3	@ad<"20030214" and ((fragment\$5 or packet\$4 or frame) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:57
L9	5	((fragment\$5 or packet\$4 or frame) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:58
L10	107	((fragment\$5 or packet\$4 or frame) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:04

EAST Search History

L11	3	((fragment\$5 or packet\$4 or frame) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)) and @ad<"20030214" and hash\$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:59
L12	297	((fragment\$5 or packet\$4 or frame or data) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)) and @ad<"20030214" and (hash\$3 or table or sequen\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:14
L13	307	((fragment\$5 or packet\$4 or frame or data) with divi\$4) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)) and @ad<"20030214" and (hash\$3 or table or sequen\$5 or index\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:19
L14	593	((fragment\$5 or packet\$4 or frame or data) with (divi\$4 or sequenc\$5)) same calculat\$3) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)) and @ad<"20030214" and (hash\$3 or table or sequen\$5 or index\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:20
L15	107	(fragment\$5 or packet\$4 or frame or data) with ((divi\$4 or sequenc\$5) same calculat\$3) and ((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3)) with (hash\$3 or table or sequen\$5 or index\$3) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:27

EAST Search History

L16	107	((fragment\$5 or packet\$4 or frame or data) with ((divi\$4 or sequenc\$5) same calculat\$3)) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) with (hash\$3 or table or sequen\$5 or index\$3) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:30
L17	60	((fragment\$5 or packet\$4 or frame or data) with (divi\$4 same calculat\$3)) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) with (hash\$3 or table or sequen\$5 or index\$3) and @ad<"20030214" and ((fragment\$5 or packet\$4 or frame or data) with sequenc\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:36
L18	60	((fragment\$5 or packet\$4 or frame or data) with (divi\$4 same calculat\$3)) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) with (hash\$3 or table or sequen\$5 or index\$3) and @ad<"20030214" and ((fragment\$5 or packet\$4 or frame or data) with sequenc\$5) and (compar\$3 same (calculat\$3 or predetermin\$3 or assign\$3 or characteristic\$4 or associat\$3))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:41
L19	124	((fragment\$5 or packet\$4 or frame or data) with (divi\$4 same calculat\$3)) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) and @ad<"20030214" and ((fragment\$5 or packet\$4 or frame or data) with sequenc\$5) and (compar\$3 same (calculat\$3 or predetermin\$3 or assign\$3 or characteristic\$4 or associat\$3)) and (hash\$3 or table or sequen\$5 or index\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:48

EAST Search History

L20	0	((fragment\$5 or packet\$4 or frame or data) with (divi\$4 same calculat\$3)) and (((associat\$3 or assign\$3) with (data or value)) with ((characteristic\$4 or predetermin\$3) near3 (value or siz\$3))) and @ad<"20030214" and ((fragment\$5 or packet\$4 or frame or data) with sequenc\$5) and (compar\$3 same (calculat\$3 or predetermin\$3 or assign\$3 or characteristic\$4 or associat\$3)) and (hash\$3 or table or sequen\$5 or index\$3) and ((characteristic near3 value) with (actual near3 data))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:49
L21	6	((characteristic near3 value) with (actual near3 data)) and @ad<"20030214" and ((packet or frame or data or object or fragment) near3 divi\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:52
L22	13	((characteristic near3 value) with (actual near3 data)) and ((packet or frame or data or object or fragment) near3 divi\$6)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:55
L23	3304	((packet or frame or data or object or fragment) near3 divi\$6) with sequen\$5) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 14:57
L24	10	((((packet or frame or data or object or fragment) near3 divi\$6) with sequen\$5) with (calculat\$3 near3 value)) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 15:00
L25	19	((((packet or frame or data or object or fragment) near3 divi\$6) with sequen\$5) same (calculat\$3 near3 value)) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 15:01
L26	2577	((((packet or frame or data or object or fragment) with divi\$6) same sequen\$5) same (calculat\$3 near3 value)) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 15:15
L27	53	(divides data object) (sequence data fragments predetermined size) (calculates characteristic values) (associating data fragments addressable characteristic values) @ad<"20030214"	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:21

EAST Search History

L28	0	(divides data object) (sequence data fragments predetermined size) (calculates characteristic values) (associating data fragments addressable characteristic values) @ad<"20030214"	US-PGPUB; USPAT; USOCR	WITH	ON	2007/04/15 15:19
L29	0	(divides data object) (sequence data fragments predetermined size) (calculates characteristic values) (associating data fragments addressable characteristic values) @ad<"20030214"	US-PGPUB; USPAT; USOCR	SAME	ON	2007/04/15 15:19
L30	0	((divi\$4 with (data or object or packet)) with fragment\$3) same sequenc\$6 same (predetermined near3 (size or value)) and (calculat\$3 with (characteristic near3 value)) and associating and @ad<"20030214"	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:24
L31	1	((divi\$4 with (data or object or packet)) with fragment\$3) same sequenc\$6 same (predetermined near3 (size or value)) and (calculat\$3 with (characteristic near3 value)) and associating	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:25
L32	0	((divi\$4 with (data or object or packet)) with fragment\$3) same sequenc\$6 same (predetermined near3 (size or value)) and (calculat\$3 with (characteristic near3 value))and @ad<"20030214"	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:26
L33	399	((divi\$4 with (data or object or packet)) with fragment\$3) and @ad<"20030214"	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:27
L34	7	((divi\$4 with (data or object or packet)) with fragment\$3) and @ad<"20030214" and fingerprint\$3	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:30
L35	72	((divi\$4 with (data or object or packet)) with fragment\$3) and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value))	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:35
L36	27740	((divi\$4 or fragment\$3) with (data or object or packet))) and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value))	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 18:27

EAST Search History

L37	97	((divi\$4 or fragment\$3) with (data or object or packet))) and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value)) and 709/203.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:39
L38	18	((divi\$4 or fragment\$3) with (data or object or packet))) same sequen\$6 and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value)) and 709/203.ccls.	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 15:39
L39	33	("7012893" "20020186660" "6504824" "20030142669" "7031314" "20030097320" "20030005047" "6167436" "5987510" "20060059254" "20010049732" "20020087729" "20020129168" "5339411") and (fingerprint or cache)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 16:33
L40	246	(fingerprint or cache) and client and server and (divide or fragment) and @ad<"20030214" and 709/203.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 16:53
L41	65	(fingerprint or cache) and client and server and ((divide or fragment) near3 (data or object or packet))and @ad<"20030214" and 709/203.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 17:37
L42	0	"20030005047" and (fp adj value)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 17:37
L43	1	"20030005047" and (fp near3 value)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 17:53
L44	1	"20030005047" and (cache with value)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 18:07
L45	1	"20030005047" and (table or list or sequence)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 18:26
L46	1	"20030005047" and (table or list or sequence or repeat or repetative)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 18:26

EAST Search History

L47	6674	((divi\$4 or fragment\$3) with (data or object or packet))) and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value)) and (((repeat or repetative or sequen\$6) near3 operation) or ("n-1"))	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 18:30
L48	690	((divi\$4 or fragment\$3) with (data or object or packet))) and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value)) and (((repeat or repetative or sequen\$6) near3 operation) or ("n-1")) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 18:32
L49	42	((divi\$4 or fragment\$3) with (data or object or packet))) and @ad<"20030214" and ((fingerprint\$3 or calculat\$3 or characteristic) near3 (size or value)) same (((repeat or repetative or sequen\$6) near3 operation) or ("n-1"))) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 20:55
L50	0	"20030005047" and (serv\$6 same characteristic same value)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 20:56
L51	0	"20030005047" and (serv\$6 same characteristic)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 20:56
L52	1	"20030005047" and (serv\$6 same value same request\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 21:24
L53	0	"20030005047" and (hold\$6 same calculat\$5)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 21:24
L54	0	"20030005047" and (hold\$6 and calculat\$5)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 21:25
L55	1	"20030005047" and (cach\$6 with calculat\$5)	US-PGPUB; USPAT; USOCR	AND	ON	2007/04/15 21:25
S1	0	"10658810"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/03 17:31
S2	1	"10/658810"	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:17

EAST Search History

S3	807	Terao.in.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/10 13:17
S4	6145	Terao.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:17
S5	405	Terao.in. and fuji.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:19
S6	1	Terao.in. and fuji.as. and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:17
S7	363	Terao.in. and fuji.as. and @ad<"20030214"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:20
S8	34	Terao.in. and fuji.as. and @ad<"20030214" and (serv\$3 or computer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:20

EAST Search History

S9	1109	("6230622" "5794553" "4582986" "4354649" "4570067" "5180956" "5017808" "4967108" "4769613" "6172576" "4488126" RE30579 "5821871" RE30580 "4381493" "5714950" "6130637" "5485556" "6028579" "6036297" "4373810" "5978107" "4853767" "4314286" "5003408" "5305159" "5901077" "4870615" "4956816" "6026025" "5768190" "5886927" "5627782" "5566105" "5357462" "4954991" "6122210" "5946271" "4390974" "4430005" "4607360" "5559777" "5414689" "4365330" "6163546" "4500999" "4434499" "4348769" "5784408" "5541957" "5177768" "4358853" "4433425" "5887040" "4369332" "5812673" "5602926" "5754677" "5911001" "5734745" "5191623" "5257110" "4523827" "5492846" "4611287" "4418392" "4890325" "5027408" "4947367" "4513372" "4476561" "4404676" "5923630" "4776212" "6161419") and @ad<"20030214"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:30
S10	15	("6230622" "5794553" "4582986" "4354649" "4570067" "5180956" "5017808" "4967108" "4769613" "6172576" "4488126" RE30579 "5821871" RE30580 "4381493" "5714950" "6130637" "5485556" "6028579" "6036297" "4373810" "5978107" "4853767" "4314286" "5003408" "5305159" "5901077" "4870615" "4956816" "6026025" "5768190" "5886927" "5627782" "5566105" "5357462" "4954991" "6122210" "5946271" "4390974" "4430005" "4607360" "5559777" "5414689" "4365330" "6163546" "4500999" "4434499" "4348769" "5784408" "5541957" "5177768" "4358853" "4433425" "5887040" "4369332" "5812673" "5602926" "5754677" "5911001" "5734745" "5191623" "5257110" "4523827" "5492846" "4611287" "4418392" "4890325" "5027408" "4947367" "4513372" "4476561" "4404676" "5923630" "4776212" "6161419") and @ad<"20030214" and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:01

EAST Search History

S11	42	Terao near2 Taro	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:45
S12	0	("2005/0086213").URPN.	USPAT	OR	ON	2007/04/10 16:18
S13	0	("2004/0199570").URPN.	USPAT	OR	ON	2007/04/10 16:19
S14	0	("2005/0086213").URPN.	USPAT	OR	ON	2007/04/10 16:29
S15	1	(Terao near2 Taro) and kernel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:45
S16	0	(Terao near2 Taro) and ((system or function) near2 call)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:46
S17	4129	(kernel) and ((system or function) near2 call) and @ad<"20030214"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:47
S18	449	(kernel) and ((system or function) near2 call) and @ad<"20030214" and ((user or human) near2 (friendly or readable))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:48
S19	100	(kernel) and ((system or function) near2 call) and @ad<"20030214" and ((user or human) near2 (friendly or readable)) and "709"/\$. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:48

EAST Search History

S20	0	(kernel) and @ad<"20030214" and (((user or human) near2 (friendly or readable)) with ((system or function) near2 call)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:49
S21	1	(kernel) and @ad<"20030214" and (((user or human) near2 (friendly or readable)) same ((system or function) near2 call)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:51
S22	1	(kernel) and @ad<"20030214" and (((user or human) near3 (friendly or readable)) same ((system or function) near3 call)) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 17:43
S23	7475	709/203.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 18:22
S24	0	709/203.ccls. and (system call algorithm inode filename index pointer structure fragment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 18:23
S25	11	(system call algorithm inode filename index pointer structure fragment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/10 18:51
S26	6	(system call algorithm inode filename index pointer structure fragment hash table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 13:12
S27	3	("2004/0091114").URPN.	USPAT	OR	ON	2007/04/10 18:53

EAST Search History

S28	5	(system call algorithm inode filename index pointer structure fragment hash table) and @ad<"20030214"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 13:15
S29	5	(system call algorithm inode filename index pointer structure fragment hash table client server) and @ad<"20030214"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 13:16
S30	5	(system call algorithm inode filename index pointer structure fragment hash table client server data) and @ad<"20030214"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/12 13:27
S32	17	"6230200" and (connect\$3 same serv\$3 same client\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 12:57
S33	3	"6230200" and (compar\$3 with siz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:52
S34	1970	@ad<"20030214" and (compar\$3 with siz\$3 with fragment\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:03
S35	7	@ad<"20030214" and ((compar\$3 with siz\$3 with fragment\$5) same (disk or storage or inode))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:05

EAST Search History

S36	207	@ad<"20030214" and ((compar\$3 same siz\$3 with fragment\$5) same (disk or storage or inode or table))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:41
S37	4	@ad<"20030214" and ((characteristic adj value) with (actual adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:45
S38	7	@ad<"20030214" and ((characteristic adj value) and (actual adj data)) and unix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:56
S39	0	"20020087729" and (compar\$3 with siz\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:52
S40	2593	@ad<"20030214" and (atp) and unix	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 13:57
S41	43	@ad<"20030214" and atp and (character\$5 adj value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:07
S42	0	@ad<"20030214" and (accelerated adj transport adj protocol) and (character\$5 adj value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:08

EAST Search History

S43	4	@ad<"20030214" and (accelerated adj transport adj protocol)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:19
S44	7950	@ad<"20030214" and (data fragment size larger smaller compare calculated value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:19
S45	0	@ad<"20030214" and (data fragment size larger smaller compare calculated value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/13 14:19
S46	0	@ad<"20030214" and (data fragment size larger smaller compare value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/13 14:19
S47	152	@ad<"20030214" and (data fragment size larger smaller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/13 14:41
S48	6	@ad<"20030214" and (data fragment encrypt\$3 actual)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/13 14:41
S49	2	@ad<"20030214" and (data fragment encrypt\$3 actual calculat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/13 14:42

EAST Search History

S50	10240	@ad<"20030214" and (data fragment (encrypt\$3 or key or (characteristic adj value)) actual calculat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 14:43
S51	3	@ad<"20030214" and (data fragment (encrypt\$3 or key or (characteristic adj value)) actual calculat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/04/13 14:45
S52	498	@ad<"20030214" and (data fragment (encrypt\$3 or key or (characteristic adj value)) actual calculat\$3) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:07
S53	2	@ad<"20030214" and ((characteristic adj value) (predetermined adj size) fragment) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:25
S54	5	@ad<"20030214" and ((characteristic adj value) and (predetermined adj size) fragment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:27
S55	30	@ad<"20030214" and ((characteristic near3 value) and (predetermined near3 size) fragment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:42
S56	2	"7012893" and (packet with size)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:43

EAST Search History

S57	0	"7012893" and (((packet or fragment) with size) and calculat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:44
S58	0	"7012893" and (((packet or fragment) with size) and (calculat\$3 or estimat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:45
S59	2	"7012893" and (((packet or fragment) with size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:46
S60	1	"7012893" and (((packet or fragment) with size) and predetermined and characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:46
S61	1	"7012893" and (((packet or fragment) with size) and predetermin\$3 and characteristic)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:46
S62	1	"7012893" and (((packet or fragment) with size) and predetermin\$3 and character\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:51
S63	0	"7012893" and (((packet or fragment) with size) and (predetermin\$3 with size) and (character\$5 with size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:51

EAST Search History

S64	1	"7012893" and (((packet or fragment) with size) and (predetermin\$3 same size) and (character\$5 same size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:51
S65	1	"7012893" and (((packet or fragment) with size) and (predetermin\$3 with size) and (character\$5 same size))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:54
S66	605	(((packet or fragment) with size) and (predetermin\$3 near3 (size or value)) and (character\$5 near3 (size or value)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:55
S67	378	@ad<"20030214" and (((packet or fragment) with size) and (predetermin\$3 near3 (size or value)) and (character\$5 near3 (size or value)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 15:56
S68	34	@ad<"20030214" and (((packet or fragment) with size) and ((predetermin\$3 near3 (size or value)) same (character\$5 near3 (size or value))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:01
S69	34	@ad<"20030214" and (((packet or fragment) with size) and ((predetermin\$3 near3 (size or value or window)) same (character\$5 near3 (size or value))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:05
S70	14	@ad<"20030214" and (packet or fragment) and (predetermin\$3 near3 (size or value)) and (size or value) and (tail same pad\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:23

EAST Search History

S71	2	@ad<"20030214" and (packet or fragment) same (predetermin\$3 near3 (size or value)) and (size or value) and (tail same pad\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:25
S72	7	@ad<"20030214" and (packet or fragment) same (predetermin\$3 near3 (size or value)) and (size or value) and (tail same (pad\$3 or adjust\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:27
S73	7	@ad<"20030214" and (packet or fragment) same (predetermin\$3 near3 (size or value)) and (tail same (pad\$3 or adjust\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:34
S74	450	@ad<"20030214" and (packet or fragment) and (calculat\$3 with characteristic with (siz\$3 or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 16:56
S75	287	@ad<"20030214" and table and (packet or fragment) and (calculat\$3 with characteristic with (siz\$3 or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 17:13
S76	7	@ad<"20030214" and 709/203.ccls. and (hash or table or proxy) and (packet or fragment) and (calculat\$3 with characteristic with (siz\$3 or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 17:15
S77	7	@ad<"20030214" and 709/203.ccls. and (hash or table or proxy or fingerprint) and (packet or fragment) and (calculat\$3 with characteristic with (siz\$3 or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/13 17:15

EAST Search History

S78	1	"20030005047" and ((fragment or packet or data) same (size or legth or value))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/13 20:41
S79	1	"20030005047" and ((fragment or packet or data or fingerprint) with (size or legth or value))	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/15 13:11
S80	0	("2003/0005047").URPN.	USPAT	OR	ON	2007/04/14 14:35
S81	43738	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in.	USPAT	OR	ON	2007/04/14 14:38
S82	1345	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as.	USPAT	OR	ON	2007/04/14 14:38
S83	1217	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214"	USPAT	OR	ON	2007/04/14 14:51
S84	2	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and 709/203.ccls.	USPAT	OR	ON	2007/04/14 14:39
S85	30	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3) near3 unit)	USPAT	OR	ON	2007/04/14 15:08
S86	10	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3) near3 unit) and (calculat\$3 and characteristic and associat\$3)	USPAT	OR	ON	2007/04/14 15:08
S87	0	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) with value)	USPAT	OR	ON	2007/04/14 15:09

EAST Search History

S88	1	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) same value)	USPAT	OR	ON	2007/04/14 15:11
S89	1	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3 or provid\$3 or process\$3 or operat\$5 or provision\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) same value)	USPAT	OR	ON	2007/04/14 15:13
S90	1	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and toshiba.as. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3 or provid\$3 or process\$3 or operat\$5 or provision\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) same value) and (array or table or hash or cell)	USPAT	OR	ON	2007/04/14 15:13
S91	7	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3 or provid\$3 or process\$3 or operat\$5 or provision\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) same value) and (array or table or hash or cell)	USPAT	OR	ON	2007/04/14 15:29
S92	1	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3 or provid\$3 or process\$3 or operat\$5 or provision\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) same value) and (array or table or hash or cell) and (client and server)	USPAT	OR	ON	2007/04/14 19:00

EAST Search History

S93	1	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3 or provid\$3 or process\$3 or serv\$3 or operat\$5 or provision\$3) near3 unit) and ((calculat\$3 and characteristic and associat\$3) same value) and (array or table or hash or cell) and (client and server)	USPAT	OR	ON	2007/04/14 15:33
S94	9	(Seki or Kanai or Yoshii or Yoshida or Toyama or Sato or Kimura or Miyazawa).in. and @ad<"20030214" and (packet\$7 or fragment\$2) and ((receiv\$3 or hold\$3 or stor\$3 or provid\$3 or process\$3 or serv\$3 or operat\$5 or provision\$3) near3 unit) and (calculat\$3 and characteristic and associat\$3) and (array or table or hash or cell) and (client and server)	USPAT	OR	ON	2007/04/14 15:33